

NVR


NVR7S04P-D58	38,150,000 IR
NVR7S08P-D58	45,780,000 IR
NVR7CK08P-D58E	57,560,000 IR
NVR7CK16P-G1L	75,110,000 IR



1. NVR7S04P-D58




4CH H.265+ , NVR Bandwidth I/O:30M/20M
Support 5MP/4MP/3MP/1080P/720P/D1/CIF/QCIF Cameras
4CH 1080P 30fps Playback
18 Smart function include Face detection
Smart playback , Cloud Update , Cloud storage
HDMI, VGA, SATA*1(10Tb HDD), 3G/4G, WIFI
USB Mouse, DC12V/2A Adapter
Dimension:250x230x45mm



38,150,000 IR

2. NVR7S08P-D58



8CH H.265+ , NVR Bandwidth I/O:64M/20M
Support 5MP/4MP/3MP/1080P/720P/D1/CIF/QCIF Cameras
4CH 1080P 30fps Playback
18 Smart function include Face detection
Smart playback , Cloud Update , Cloud storage
HDMI, VGA, SATA*1(10Tb HDD), 3G/4G, WIFI
USB Mouse, DC12V/2A Adapter
Dimension:250x230x45mm




45,780,000 IR

3. NVR7CK08P-D58E



8CH H.265+ 4K
NVR Bandwidth I/O:80M/80M
Support 8MP/5MP/4MP/3MP/2MP/720P 4CH 1080P 30fps Playback
18 Smart function include Face detection
Audio I/O: 1 /1
HDMI, VGA, SATA*1(12T HDD), 3G/4G, WIFI
USB Mouse, DC12V/2A Adapter
Dimension:250x230x45mm



57,560,000 IR

4. NVR7CK16P-G1L



16CH H.265+ 4K
NVR Bandwidth I/O: 160M/80M
Support 8MP/5MP/4MP/3MP/2MP/720P 4CH 1080P 30fps Playback
18 Smart function include Face detection
Audio I/O:1/ 1; Alarm I/O:8/ 1
HDMI, VGA, SATA*2(12T HDD), 3G/4G, WIFI
USB Mouse, DC12V/4A Adapter
Dimension: 326x243x52mm mm



75,110,000IR



2MP

Bullet Fixed

IPC7Q261B48R-I	23,110,000 IR
IPC72B49M-MS	27,250,000 IR
IPC72B49M-MSL	27,250,000 IR
IPC72B49M-MSC	30,520,000 IR

Dome Fixed

IPC75254T9AQ-I	20,610,000 IR
IPC7Q261T9AQ-I	23,110,000 IR
IPC72T9AR-MS	27,250,000 IR
IPC72T9AR-MSC	30,000,000 IR

IOT

2212P8	13,630,000 IR
7Q261P8M	18,530,000 IR

5MP

Bullet Fixed

IPC7L552B48R-I	32,050,000 IR
IPC75B19M-MS	36,000,000 IR
IPC75B49M-MS	43,600,000 IR
IPC75B49M-MSL	43,600,000 IR
IPC75B49M-MSC	49,050,000 IR

Dome Fixed

IPC7L552T9AQ-I	32,050,000 IR
IPC75T9QR-MS	36,000,000 IR
IPC75T9AR-MS	43,600,000 IR



1. IPC7Q261B48R-I



H.265+ 2MP Network Camera 1/ 2.9" CMOS
Smart IR, DWDR, 2D/3D DNR; Mobile Surveillance
Line Crossing, Area Intrusion, SMD Based on Human Body Detection
Dual Stream: 25 /30fps @ 1080P, 25 /30fps @D1, Onvif2.6,Pro le S,CGI
2 PCs SMD LED, IR Range up to 30m
3.6mm Fixed Lens
IP67, DC12V/2A, Built-in PoE
Size: 69x165.5mm

Gross Weight: 224g



23,110,000 IR

2. IPC72B49M-MS



H.265+ 2MP Network Camera, 1/ 2.9" CMOS Sensor
Smart IR, DWDR, 2D/3D DNR, /, Mobile Surveillance
5 Smart Functions
Starlight, Built-in Mic
25fps 1080P(1920 x 1080) 25fps 960P(1280 x 960),25fps 720P(1280 x 720)
2 pcs Array LED / IR Range 30m
Fixed focal lens,2.8mm
IP67, Metal Housing, DC12V, Built-in POE
Size: Ø68x153mm

Gross Weight: 420g



27,250,000 IR

3. IPC72B49M-MSL



H.265+ 2MP Network Camera, 1/ 2.9" CMOS Sensor
Smart IR, DWDR, 2D/3D DNR, /, Mobile Surveillance
5 Smart Functions
Starlight, Built-in Mic, Strobe light
25fps 1080P(1920 x 1080) 25fps 960P(1280 x 960),25fps 720P(1280 x 720)
2 pcs Array LED / IR Range 30m
Fixed focal lens,2.8mm
IP67, Metal Housing, DC12V, Built-in POE
Size: Ø68x153mm

Gross Weight: 420g



27,250,000 IR

4. IPC72B49M-MSC



H.265+ 2MP Network Camera, 1/ 2.9" CMOS Sensor
DWDR, 2D/3D DNR, /, Mobile Surveillance
Starlight, Full color, Built-in Mic
5 Smart Functions
25fps 1080P(1920 x 1080) 25fps 960P(1280 x 960),25fps 720P(1280 x 720)
2 pcs Warm light/ IR Range 30m
Fixed focal lens,3.6mm@F1.6
IP67, Metal Housing, DC12V, Built-in POE
Size: Ø68x153mm

Gross Weight: 420g



30,520,000 IR

5. IPC75254T9AQ-I



H.265+ 2MP Network Camera, 1/ 2.9" CMOS Sensor
Smart IR, DWDR, 2D/3D DNR, /, Mobile Surveillance
5 Smart Functions
Starlight, Built-in Mic
25fps 1080P(1920 x 1080) 25fps 960P(1280 x 960),25fps 720P(1280 x 720)
2 pcs Array LED / IR Range 30m
Fixed focal lens,2.8mm
IP67, Metal + Plastic Housing, DC12V, Built-in POE
Size: Ø68x153mm

Gross Weight: 420g



20,610,000 IR

6. IPC7Q261T9AQ-I



H.265+ 2MP Network Camera 1/ 2.9" CMOS
Smart IR, DWDR, 2D/3D DNR, Mobile Surveillance
Line Crossing, Area Intrusion, SMD Based on Human Body Detection
Dual Stream: 25 /30fps @ 1080P, 25 /30fps @D1, Onvif2.6,Pro le S,CGI
2pcs Array LED/ IR range 30m
3.6mm Fixed Lens
IP67, DC12V/2A, Built-in PoE
Size: Ø92 x88(H) mm

Weight: 240g



23,110,000 IR



7. IPC72T9AR-MS



H.265+ 2MP Network Camera, 1/ 2.9" CMOS Sensor
Smart IR, DWDR, 2D/3D DNR, / , Mobile Surveillance
5 Smart Functions
Starlight , Built-in Mic
25fps 1080P(1920 × 1080) 25fps 960P(1280 × 960),25fps 720P(1280 × 720)
2 pcs Array LED / IR Range 30m
Fixed focal lens,2.8mm
IP67, Metal + Plastic Housing, DC12V, Built-in POE
Size: Ø68×153mm Gross Weight: 420g



27,250,000 IR

8. IPC72T9AR-MS-C



H.265+ 2MP Network Camera, 1/ 2.9" CMOS Sensor
DWDR, 2D/3D DNR, / , Mobile Surveillance
Starlight , **Full color**, Built-in Mic
5 Smart Functions
25fps 1080P(1920 × 1080) 25fps 960P(1280 × 960),25fps 720P(1280 × 720)
2 pcs Warm light/ IR Range 30m
Fixed focal lens,2.8mm@**F1.6**
IP67, Metal + Plastic Housing, DC12V, Built-in POE
Size: Ø103.5 x 83.6 mm Gross Weight: 320g



30,000,000 IR

9. IPC7L552B48R-I



H.265+ 5MP Network Camera 1/ 2.7" CMOS
Smart IR, DWDR, 2D/3D DNR; Mobile Surveillance
Dual Stream: 20fps @ 5MP, 25 /30fps @D1, Onvif2.6,Pro le S,CGI
2 PCs Array LED, IR Range up to 30m
3.6mm Fixed Lens
IP67, DC12V/2A, Built-in PoE
Size: 66x69x165.5mm Gross Weight: 180g



32,050,000 IR

10. IPC75B19M-MS



H.265+ 5MP Network Camera, 1/ 2.7" CMOS Sensor
Smart IR, DWDR, 2D/3D DNR, / , Mobile Surveillance
Starlight , **Built-in Mic**
Dual Stream,20fps @5MP , 20fps @4MP,25fps 1080P
pcs Array LED / IR Range 30m
Fixed focal lens,3.6mm
IP67, Metal Housing, DC12V, Built-in POE
Size: Ø68×153mm Gross Weight: 420g



36,000,000 IR

11. IPC75B49M-MS



H.265+ 5MP Network Camera, 1/ 2.7" CMOS Sensor
Smart IR, WDR&DWDR, 2D/3D DNR, / , Mobile Surveillance
5 Smart Functions
Starlight , **Built-in Mic**
Triple Stream,25fps @5MP , 25fps @4MP,25fps 1080P
2 pcs Array LED / IR Range 30m
Fixed focal lens,2.8mm@**F1.6**
IP67, Metal Housing, DC12V, Built-in POE
Size: Ø68×153mm Gross Weight: 420g



43,600,000 IR

12. IPC75B49M-MSL



H.265+ 5MP Network Camera, 1/ 2.7" CMOS Sensor
Smart IR, WDR&DWDR, 2D/3D DNR, / , Mobile Surveillance
5 Smart Functions
Starlight , Built-in Mic , **Strobe Light**
Triple Stream,25fps @5MP , 25fps @4MP,25fps 1080P
2 pcs Array LED / IR Range 30m
Fixed focal lens,2.8mm@**F1.6**
IP67, Metal Housing, DC12V, Built-in POE
Size: Ø68×153mm Gross Weight: 420g



43,600,000 IR



13. IPC75B49M-MSC



H.265+ 5MP Network Camera, 1/ 2.7" CMOS Sensor
Smart IR, WDR&DWDR, 2D/3D DNR, / , Mobile Surveillance
5 Smart Functions
Starlight ,Fullcolor , **Built-in Mic**
Triple Stream,25fps @5MP , 25fps @4MP,25fps 1080P
2 pcs Warmlight/ IR Range 30m
Fixed focal lens,3.6mm@F1.6
IP67, Metal Housing, DC12V, Built-in POE
Size: Ø68x153mm

Gross Weight: 420g



49,050,000 IR

14. IPC7L552T9AQ-I



H.265+ 5MP Network Camera 1/ 2.7" CMOS
Smart IR, DWDR, 2D/3D DNR; Mobile Surveillance
Dual Stream: 20fps @ 5MP, 25 /30fps @D1, Onvif2.6, Pro le S,CGI
18 PCs Array LED, IR Range up to 30m
3.6mm Fixed Lens
IP67, DC12V/2A, Built-in PoE
Size: 67.5x57.5x152mm

Gross Weight: 350g



32,050,000 IR

15. IPC75T9QR-MS



H.265+ 5MP Network Camera, 1/ 2.7" CMOS Sensor
Smart IR, DWDR, 2D/3D DNR , Mobile Surveillance
Starlight , Built-in Mic
Dual Stream,20fps @5MP , 20fps @4MP,25fps 1080P
Array LED / IR Range 30m
Fixed focal lens,3.6mm
IP67, Metal + Plastic Housing, DC12V, Built-in POE
Size: Ø92x88 mm

Gross Weight: 330g



36,000,000 IR

16. IPC75T9AR-MS



H.265+ 5MP Network Camera, 1/ 2.7" CMOS Sensor
Smart IR, WDR&DWDR, 2D/3D DNR , Mobile Surveillance
5 Smart Functions
Starlight , Built-in Mic
Triple Stream,25fps @5MP , 25fps @4MP,25fps 1080P
2 pcs Array LED / IR Range 30m
Fixed focal lens,2.8mm@F1.6
IP67, Metal Housing, DC12V, Built-in POE
Size: Ø103.5x83.6mm

Gross Weight: 330g



43,600,000 IR



IOT

17. IOT2212P8



1/ 3" CMOS Sensor/1080P
IR range up to 10M
Motion Detection , Motion Tracking
3.6mm Lens
SD Card Support (128GB)
Wifi 802.11 b/g/n Wireless 2.4G
H.264 Video Compression
0°~355° Horizontal Rotation -10°~95° Vertical Rotation,
1m Cable Length DC5V/1.6A Size: 81*113mm Gross Weight: 214.2g



13,630,000 IR

18. IOT7Q261P8M



1/ 2.9" CMOS Sensor/1080P
IR range up to 10M
SMD(Human) ,Human Tracking ,Motion Tracking
3.6mm Lens
SD Card Support (128GB)
Wifi 802.11 b/g/n Wireless 2.4G , Onvif 2.6
H.265 Video Compression
0°~355° Horizontal Rotation -10°~95° Vertical Rotation,
1.5m Cable Length DC5V/1.6A Size: 81*113mm Gross Weight: 214.2g



18,530,000 IR

