

UVR

AM Plus Series 1080P_{Lite}

UVR7TAA04AMPlus-D54G	28,890,000 IR
UVR7TAA08AMPlus-D58G	39,240,000 IR
UVR7TCA16AMPlus-D5C6	67,580,000 IR

AH Series 5MP_{Lite}

UVR7TAA04AH-D14G	38,000,000 IR
UVR7TAB08AH-D18A	59,000,000 IR

H Series 5MP_{Lite}

UVR7TAA04H-D54G	38,000,000 IR
UVR7TCA08H-D58G	59,000,000 IR
UVR7THB16H-D5C8	119,900,000 IR
UVR7THB16H-G1C5	136,250,000 IR

RQ & Q Series 8MP

UVR7TCA04RQ-D149	Call
UVR7TCG08RQ-D189	Call
UVR6TH16Q-N5C2	Call



AM Plus Series ^{1080P Lite}

1. UVR7TAA04AMPlus-D54G



H.265+ 4ch 1080P Lite 15fps 5 in1 UVR
4ch 1080P Lite 15fps Recording/ 4ch Playback
Video I/O: 4/ 1; Audio I/O: 1 /1; HDMI,VGA,CVBS, SATA*1(8T HDD), 3G/4G, WIFI
USB Mouse, DC12V/2A Adapter Mic Support in Coaxial Mode
Smart Playback . Cloud Update . Cloud Storage
Line Crossing . Area Intrusion , **Deterrence Support**
4ch SMD based on Human and Vehicle
Extra 2CH IP Event Stream Lock Files . Multi Cast



28,890,000 IR

2. UVR7TAA08AMPlus-D58G



H.265+ 8ch 1080P Lite 12fps 5 in1 UVR
8ch 1080P Lite 12fps Recording/ 8ch Playback
Video I/O: 8/ 1; Audio I/O: 1 /1; HDMI,VGA,CVBS, SATA*1(8T HDD), 3G/4G, WIFI
USB Mouse, DC12V/2A Adapter
Mic Support in Coaxial Mode , **Deterrence Support**
Smart Playback . Cloud Update . Cloud Storage
Line Crossing . Area Intrusion
4ch SMD based on Human and Vehicle
Extra 2CH IP Event Stream . Lock Files . Multi Cast




39,240,000 IR

3. UVR7TCA16AMPlus-D5C6



H.265+ 16ch 1080P Lite 12fps 5 in1 UVR
16ch 1080P Lite 12fps Recording/ 16ch Playback
Video I/O: 8/ 1; Audio I/O: 1 /1; HDMI,VGA,CVBS, SATA*1(8T HDD), 3G/4G, WIFI
USB Mouse, DC12V/2A Adapter
Mic Support in Coaxial Mode , **Deterrence Support**
Smart Playback . Cloud Update . Cloud Storage
Line Crossing . Area Intrusion
8ch SMD based on Human and Vehicle
Extra 2CH IP Event Stream . Lock Files . Multi Cast



67,580,000 IR

H Series ^{5MP Lite}

4. UVR7TAA04H-D54G



H.265+ 4CH 5MP Lite@ 12fps UVR
4ch 5MP Lite@12fps Recording/4ch Playback
4ch 1080P@15fps Recording/4ch Playback
Video I/O:4/ 1; Audio I/O: 1/ 1; HDMI,VGA,CVBS,SATA*1(8TB HDD), 3G/4G, WIFI
USB Mouse, DC12V/2A Adapter
Mic Support in Coaxial Mode
Smart Playback . Cloud Update . Cloud Storage Line Crossing . Area Intrusion
Extra 2CH IP . Event Stream . Lock Files . Multi Cast



38,000,000 IR

5. UVR7TCA08H-D58G



H.265+ 8CH 5MP Lite@ 12fps UVR
4ch 5MP Lite@12fps Recording/4ch Playback
4ch 1080P@15fps Recording/4ch Playback
Video I/O:8/ 1; Audio I/O: 1/ 1; HDMI,VGA,CVBS,SATA*1(8 T HDD), 3G/4G, WIFI
USB Mouse, DC12V/2A Adapter
Mic Support in Coaxial Mode
Smart Playback . Cloud Update . Cloud Storage Line Crossing . Area Intrusion
Extra 2CH IP . Event Stream . Lock Files . Multi Cast



59,000,000 IR



6. UVR7THB16H-D5C8



H.265+ 16CH 5MP Lite@12fps UVR
16ch 5MP Lite@12fps/1080P@15fps/1080P Lite@25fps Recording/16ch Playback
Video I/O: 16/1; Audio I/O: 4/1; HDMI,VGA,CVBS,
SATA*1(8T HDD), 3G/4G, WIFI, PTZ ,USB Mouse, DC12V/2A Adapter
Mic Support in Coaxial Mode
Line Crossing . Area Intrusion . Region Entrance . Region Existing
Fast Moving .Unattended Object . Object Missing .
Face Detection, Cloud Storage & Upgrade .
Smart Playback .Multi Cast. Extra 4CH IP, Dimension:250(W)x230(D)x45(H)mm



119,900,000 IR

7. UVR7THB16H-G1C5



H.265+ 16CH 5MP Lite@12fps UVR
16ch 5MP Lite@12fps/1080P@15fps/1080P Lite@25fps Recording/16ch Playback
Video I/O: 16/1; Audio I/O: 4/1; Alarm I/O: 4/1,HDMI,VGA,CVBS,
SATA*2(8T HDD), 3G/4G, WIFI, PTZ USB Mouse, DC12V/4A Adapter
Mic Support in Coaxial Mode
Line Crossing . Area Intrusion . Region Entrance
Region Existing Fast Moving . Unattended Object . Object Missing .
Face Detection, Cloud Storage & Upgrade , Smart Playback
Multi Cast , Extra 4CH IP, Dimension:326(W)x243(D)x52(H)mm



136,250,000 IR

AH Series 5MP Lite

8. UVR7TAA04AH-D14G



H.265+ 4ch 5MP Lite@12fps UVR
4CH 5M Lite@12fps/4M Lite@15fps/1080P@15fps Recording/4ch Playback
Video I/O:4/1; Audio I/O: 1/1; HDMI,VGA,CVBS,SATA*1(8TB HDD), 3G/4G, WIFI
USB Mouse, DC12V/2A Adapter
Mic Support in Coaxial Mode , **Deterrence Support**
Smart Playback . Cloud Update . Cloud Storage
Line Crossing , Area Intrusion ,**Face detection** ,
SMD based on Human and Vehicle , PP
Extra 2CH IP . Event Stream . Lock Files . Multi Cast



38,000,000IR

9. UVR7TAB08AH-D18A



H.265+ 8CH 5MP Lite@ 15fps UVR
8CH 5M Lite@15fps/4M Lite@15fps/1080P@15fps Recording/8ch Playback
Video I/O:8/1; Audio I/O: 1/1; HDMI,VGA,CVBS,SATA*1(8TB HDD), 3G/4G, WIFI
USB Mouse, DC12V/2A Adapter
Mic Support in Coaxial Mode , **Deterrence Support**
Smart Playback . Cloud Update . Cloud Storage
(Line Crossing , Area Intrusion , Face detection , SMD based on Human and Vehicle , PP) Optional
Extra 2CH IP . Event Stream . Lock Files . Multi Cast,



59,000,000IR




RQ & Q Series ^{8MP}

12. UVR7TCA04RQ-D149




H.265+ 4CH 8MP 5 in 1 UVR
4ch 8MP 7fps Recording / 1ch Playback 4ch 5MP 12fps Recording /
4ch Playback 4ch 8MP Lite 15fps Recording / 4ch Playback Video I/O:4/ 1; Audio 4/ 1
HDMI,VGA,CVBS,SATA*1(10T HDD), 3G/4G, WIFI, PTZ DC
12V/2A Adaptor Event Stream . Lock Files . Multicast Human Body Detection
Smart Playback . Cloud Update . Cloud Storage . USB Mouse
Line Crossing . Area Intrusion . Region Entrance . Region Existing Fast Moving .
Unattended Object . Object Missing . Face Detection
Extra 4CH IP . Event Stream . Lock Files . Multi Cast . HDMI 4K Support



13. UVR7TCG08RQ-D189




H.265+ 8CH 8MP 5 in 1 UVR
8ch 8MP 7fps Recording / 4ch Playback
8ch 5MP 12fps Recording / 8ch Playback
4ch 8MP Lite 15fps Recording / 8ch Playback
Video I/O:8/ 1; Audio 4/ 1;RS485
HDMI,VGA,CVBS,SATA*1(10T HDD), 3G/4G, WIFI, PTZ
Smart Playback . Cloud Update . Cloud Storage
Line Crossing . Area Intrusion
Extra 8CH IP . Event Stream . Lock Files . Multi Cast . HDMI 4K Support



14. UVR6TH16Q-N5C2



H.265+ 16CH 8MP Lite 5 in 1 UVR
Channel Number: 16ch Analog 16ch 8MP 7fps Recording/
4ch Playback 16ch 5MP Lite 12fps Recording/8ch Playback
Video I/O: 16/ 1; Audio 4 /1; Alarm I/O 16/ 4
HDMI,VGA,CVBS,SATA 2*(8T HDD), 3G/4G, WIFI, PTZ
Smart Playback . Cloud Update . Cloud Storage
Line Crossing . Area Intrusion . Region Entrance . Region Existing Fast Moving
Unattended Object . Object Missing . Face Detection
Extra 4CH IP . Event Stream . Lock Files . Multi Cast . HDMI 4K Support



2MP

Bullet Fixed

UVC222B1AR-M	11,560,000 IR
UVC222B49M(2.8mm)	11,560,000 IR
UVC78B29R	12,540,000 IR
UVC222B49M-M(3.6mm)	12,750,000 IR
UVC222B49M-C(2.8mm)	13,740,000 IR
UVC222B1AM-M (3.6mm)	13,960,000 IR
UVC222B1AM-M (4.0mm)	13,960,000 IR
UVC231B1AR-L	14,170,000 IR
UVC222B49M-MC(2.8mm)	14,500,000 IR
UVC232B1AR-MC (2.8mm)	14,900,000 IR
UVC64B1A	15,050,000 IR
UVC232B59R-MC(3.6mm)	15,500,000 IR
UVC78B29 (2.8mm)	16,030,000 IR
UVC221B59M (2.8mm)	16,570,000 IR
UVC222B59M-M(2.8mm)	17,000,000 IR

Dome Fixed

UVC232T43P-M(2.8mm)	8,620,000 IR
UVC222T43P-MC(2.8mm)	9,810,000 IR
UVC222T9AR-M(2.8mm)	12,210,000 IR
UVC231T9AR-L	14,170,000 IR
UVC232T9AR-MC(2.8mm)	14,900,000 IR
UVC64T9A	15,050,000 IR

Bullet Varifocal

UVC85C29	17,010,000 IR
----------	---------------

Dome Varifocal

UVC85E97	17,010,000 IR
----------	---------------

Dome Motorized

UVC64C59Z	38,150,000 IR
-----------	---------------



5MP

Bullet Fixed

UVC531B19M(2.8mm) 15,810,000 IR

UVC532B49M(2.8mm) 16,030,000 IR

UVC522B49M-M(2.8mm) 16,350,000 IR

UVC522B49M-MC(2.8mm) 18,100,000 IR

UVC532B1AR-MC(2.8mm) 19,000,000 IR

UVC532B59R-MC(3.6mm) 19,000,000 IR

UVC522B59M(2.8mm) 21,590,000 IR

UVC60B29(2.8mm) 21,590,000 IR

UVC522B59M-M(2.8mm) 22,000,000 IR

Bullet Varifocal

UVC83C29 21,040,000 IR

UVC532C59M 26,160,000 IR

Dome Varifocal

UVC83E97 21,040,000 IR

Dome Fixed

UVC532T43P-M(2.8mm) 12,320,000 IR

UVC522T43P-MC(2.8mm) 13,470,000 IR

UVC522T45P-MC(2.8mm) 14,170,000 IR

UVC522T9AR(2.8mm) 15,050,000 IR

UVC522T9AR-M(2.8mm) 16,900,000 IR

UVC532T9AR-MC(2.8mm) 19,000,000 IR



1. UVC222B1AR-M



1/ 2.9" CMOS Starlight Sensor
2MP@25/30fps
IR Cut, 2D DNR, UTC, DWDR
AHD/TVI/CVI/CVBS Output
Fixed Bullet Camera , **Built in Mic**
2pcs SMD LED , IR range up to 30M
3.6mm Lens
Weather Resistance : IP67

Metal + Plastic Housing
Size: 66X175.3mm

Gross Weight: 280g



11,560,000 IR

2. UVC222B49M (2.8mm)



1/ 2.9" CMOS Starlight Sensor
2MP@25/30
IR Cut, 2D DNR, UTC, DWDR
AHD/TVI/CVI/CVBS Output
Fixed Bullet Camera
2pcs SMD LED
IR range up to 30M
2.8 mm Lens
Weather Resistance : IP67

Metal Housing
Size: 68X153mm

Gross Weight: 300g



11,560,000 IR

3. UVC78B29R



1/ 2.9" CMOS Sensor/2MP
IR Cut, 2D/3D DNR, UTC
AHD/TVI/CVI/CVBS Output
Fixed Bullet Camera
4pcs SMD LED
IR range up to 40M
3.6mm Lens
Weather Resistance : IP66

Metal + Plastic Housing
Size: 6235X83X72.7mm

Gross Weight: 520g



12,540,000 IR

4. UVC222B49M-M (3.6mm)



1/ 2.9" CMOS Starlight Sensor
2MP@25/30fps
IR Cut , 2D DNR, UTC , DWDR
AHD/TVI/CVI/CVBS Output
Built in Mic
Fixed Bullet Camera
2pcs SMD LED
IR range up to 30M
3.6mm Lens
Weather Resistance : IP67

Metal Housing
Size: 68X153mm

Gross Weight: 300g



12,750,000 IR

5. UVC222B49M-C (2.8mm)



1/ 2.9" CMOS Starlight Sensor
2MP@25/30fps
2D DNR, UTC , DWDR
AHD/TVI/CVI/CVBS Output
Full color
Fixed Bullet Camera
2pcs Warm light
IR range up to 30M
2.8mm Lens, F1.6
Weather Resistance : IP67

Metal Housing
Size: 68X153mm

Gross Weight: 300g



13,740,000 IR

6. UVC222B1AM-M (3.6mm)



1/ 2.9" CMOS Starlight Sensor
2MP@25/30fps
IR Cut, 2D/3D DNR, UTC, DWDR
AHD/TVI/CVI/CVBS Output
Fixed Bullet Camera , **Built in Mic**
2pcs SMD LED
IR range up to 30M
3.6mm Lens
Weather Resistance : IP67

Metal Housing
Size: 68X172.3mm

Gross Weight: 400g



13,960,000 IR



7. UVC222B1AM-M (4.0mm)



1/ 2.9" CMOS Starlight Sensor
2MP@25/30fps
IR Cut, 2D/3D DNR, UTC, DWDR
AHD/TVI/CVI/CVBS Output
Fixed Bullet Camera, **Built in Mic**
2pcs SMD LED
IR range up to 30M
4.0mm Lens
Weather Resistance : IP67

Metal Housing
Size: 68X172.3mm

Gross Weight: 400g



13,960,000 IR

8. UVC231B1AR-L



1/ 3" CMOS Sensor
2MP@25/30
IR Cut, 2D/3D DNR, UTC, DWDR
AHD/TVI/CVI/CVBS Output
Fixed Bullet Camera
2pcs SMD LED + 1pcs **White light**
IR range up to 30M
3.6 mm Lens
Weather Resistance : IP67


Metal + Plastic Housing
Size: 65.5X183mm

Gross Weight: 220g



14,170,000 IR

9. UVC222B49M-MC (2.8mm)



1/ 2.9" CMOS Starlight Sensor
2MP@25/30fps
2D DNR, UTC, DWDR
AHD/TVI/CVI/CVBS Output
Full color
Fixed Bullet Camera, **Built in Mic**
2pcs Warm light
IR range up to 30M
2.8mm Lens, F1.6
Weather Resistance : IP67

Metal Housing
Size: 68X153mm

Gross Weight: 300g



14,500,000 IR

10. UVC232B1AR-MC (2.8mm)



1/ 2.9" CMOS Starlight Sensor
2MP@25/30fps
2D DNR, UTC, DWDR
AHD/TVI/CVI/CVBS Output
Full color
Fixed Bullet Camera, **Built in Mic**
2pcs Warm light
IR range up to 30M
2.8mm Lens, F1.6
Weather Resistance : IP67

Metal + Plastic Housing
Size: 68X153mm

Gross Weight: 280g



14,900,000 IR

11. UVC64B1A



1/ 2.9" Sony CMOS Sensor
2MP@25/30fps
IRCUT, 2D/3D DNR, UTC, DWDR
AHD/TVI/CVI/CVBS Output
Super Starlight
Fixed Bullet Camera
2pcs SMD LED
IR range up to 30M
3.6mm Lens
Weather Resistance : IP67


Metal Housing
Size: 62X163mm

Gross Weight: 400g



15,050,000 IR

12. UVC232B59R1-MC (3.6mm)



1/ 2.9" CMOS Starlight Sensor
2MP@25/30fps
2D DNR, UTC, DWDR
AHD/TVI/CVI/CVBS Output
Full color
Fixed Bullet Camera, **Built in Mic**
2pcs Warm light
IR range up to 50M
3.6mm Lens, F1.6
Weather Resistance : IP67

Metal + Plastic Housing
Size: 68.1x73.1x227.6 mm

Gross Weight: 320g



15,500,000 IR



13. UVC78B29

(2.8mm)



1/ 2.9" CMOS Sensor
2MP@25/30fps
IR Cut, 2D/3D DNR, UTC,DWDR
AHD/TVI/CVI/CVBS Output
Fixed Bullet Camera
30pcs SMD LED
IR range up to 50M
2.8mm Lens
Weather Resistance : IP66

Metal Housing
Size: c67X211mm

Gross Weight: 720g



16,030,000 IR

14. UVC221B59M

(2.8mm)



1/ 2.9" CMOS Sensor
2MP@25/30fps
IR Cut, 2D/3D DNR, UTC,DWDR
AHD/TVI/CVI/CVBS Output
Fixed Bullet Camera
3Pcs SMD LED
IR range up to 50M
2.8mm Lens
Weather Resistance : IP67

Metal Housing
Size: c68X172.3mm

Gross Weight: 400g



16,570,000 IR

15. UVC222B59M-M

(2.8mm)



1/ 2.9" CMOS Starlight Sensor
2MP@25/30fps
IR Cut, 2D/3D DNR, UTC,DWDR
AHD/TVI/CVI/CVBS Output
Fixed Bullet Camera , **Built in Mic**
3Pcs SMD LED
IR range up to 50M
2.8mm Lens
Weather Resistance : IP67

Metal Housing
Size: Ø83.1×73.1×235.7 mm

Gross Weight: 700g



17,000,000 IR

17. UVC232T43P-M

(2.8mm)



1/ 2.9" CMOS Starlight Sensor
2MP@25/30fps
IR Cut, 2D/3D DNR, UTC,DWDR
AHD/TVI/CVI/CVBS Output
Fixed Dome Camera , **Built in Mic**
1pcs SMD LED
IR range up to 25M
2.8mm Lens
Weather Resistance : IP65

Plastic Housing
Size: c96.8X85.5mm


Gross Weight: 120g



8,620,000 IR

18. UVC222T43P-MC


(2.8mm)



1/ 2.9" CMOS Starlight Sensor
2MP@25/30fps
2D DNR, UTC , DWDR
AHD/TVI/CVI/CVBS Output
Full color
Fixed Dome Camera, **Built in Mic**
2pcs Warm light
IR range up to 25M
2.8mm Lens, F1.6
Weather Resistance : IP65

Plastic Housing
Size: c68X153mm

Gross Weight: 120g



9,810,000 IR



19. UVC222T9AR-M (2.8mm)



1/ 2.9" CMOS Starlight Sensor
2MP@25/30fps
2D DNR, UTC, DWDR
AHD/TVI/CVI/CVBS Output
Fixed Dome Camera, **Built in Mic**
2pcs SMD LED
IR range up to 30M
2.8mm Lens
Weather Resistance : IP67

Plastic+ Plastic Housing
Size: c102 x 82.4(H) mm Gross Weight: 220g



12,210,000 IR

20. UVC231T9AR-L



1/ 3" CMOS Sensor
2MP@25/30
IR Cut, 2D/3D DNR, UTC, DWDR
AHD/TVI/CVI/CVBS Output
Fixed Dome Camera
2pcs SMD LED + 1pcs White light
IR range up to 30M
3.6 mm Lens
Weather Resistance : IP67

Metal + Plastic Housing
Size: c 102 x 82.4(H) mm Gross Weight: 205g



14,170,000 IR

21. UVC232T9AR-MC (2.8mm)



1/ 2.9" CMOS Starlight Sensor
2MP@25/30fps
2D DNR, UTC, DWDR
AHD/TVI/CVI/CVBS Output
Full color
Fixed Dome Camera, **Built in Mic**
2pcs Warm light
IR range up to 30M
2.8mm Lens, F1.6
Weather Resistance : IP67

Plastic Housing
Size: c102 x 82.4(H) mm Gross Weight: 220g



14,900,000 IR

22. UVC64T9A



1/ 2.9" Sony CMOS Sensor
2MP@25/30fps
IRCUT, 2D/3D DNR, UTC, DWDR
AHD/TVI/CVI/CVBS Output
Super Starlight
Fixed Dome Camera
2pcs SMD LED
IR range up to 30M
3.6mm Lens
Weather Resistance : IP67

Metal Housing
Size: c 102x82.4mm Gross Weight: 350g



15,050,000 IR

23. UVC85C29



1/ 2.9" CMOS Sensor
2MP@25/30
IR Cut, 2D/3D DNR, UTC, DWDR
AHD/TVI/CVI/CVBS Output
Varifocal Bullet Camera
30pcs SMD LED
IR range up to 50M
2.8-12mm Varifocal Lens
Weather Resistance : IP66

Metal Housing
Size: c 67 x 211 mm Gross Weight: 720g



17,010,000 IR

24. UVC85E97



1/ 2.9" CMOS Sensor
2MP@25/30
IR Cut, 2D/3D DNR, UTC, DWDR
AHD/TVI/CVI/CVBS Output
Varifocal Dome Camera
24 pcs SMD LED
IR range up to 40M
2.8-12mm Varifocal Lens
Weather Resistance : IP66

Metal Housing
Size: c 120*108mm Gross Weight: 650g



17,010,000 IR



25. UVC64C59Z



1/ 2.8" Sony CMOS Sensor
2MP@25/30
IR Cut, 2D/3D DNR, UTC, DWDR
AHD/TVI/CVI/CVBS Output
Super Starlight
Motorized Bullet Camera
3 pcs SMD LED
IR range up to 50M
2.8-12mm Motorized Lens
Weather Resistance : IP67

Metal Housing
Size: Ø235*83×72.7mm

Gross Weight: 700g



38,150,000 IR

26. UVC531B19M



1/ 2.5" CMOS Sensor
5MP@20fps
IR CUT, 2D DNR, UTC, DWDR
AHD/TVI/CVI/CVBS Output
Fixed Bullet Camera
18pcs SMD LED
IR range up to 30M
2.8mm Lens
Weather Resistance : IP66

Metal Housing
Size: ϕ152 x 67.5 mm

Gross Weight: 270g



15,810,000 IR

27. UVC532B49M



1/ 2.7" CMOS Sensor
5MP@20fps(16:9 video output)
IR Cut, 2DDNR, UTC, DWDR
AHD/TVI/CVI/CVBS Output
Fixed Bullet Camera
2pcs SMD LED
IR range up to 30M
2.8mm Lens
Weather Resistance : IP67


Metal Housing
Size: ϕ68X153mm

Gross Weight: 300g



16,030,000 IR

28. UVC522B49M-M



1/ 2.7" CMOS Sensor
5MP@20fps(16:9 video output)
IR Cut, 2DDNR, UTC, DWDR
AHD/TVI/CVI/CVBS Output
Fixed Bullet Camera , **Built in Mic**
2pcs SMD LED
IR range up to 30M
2.8mm Lens, F1.6
Weather Resistance : IP67

Metal Housing
Size: ϕ68X153mm

Gross Weight: 300g



16,350,000 IR

29. UVC522B49M-MC



1/ 2.7" CMOS Sensor
5MP@20fps(16:9 video output)
2DDNR, UTC, DWDR, **Fullcolor**
AHD/TVI/CVI/CVBS Output
Fixed Bullet Camera , **Built in Mic**
2pcs Warmlight,
IR range up to 30M
2.8mm Lens, F1.6
Weather Resistance : IP67

Metal Housing
Size: ϕ68X153mm

Gross Weight: 300g



18,100,000 IR

30. UVC532B1AR-MC



1/ 2.7" CMOS Sensor
5MP@20fps(16:9 video output)
2DDNR, UTC, DWDR, **Fullcolor**
AHD/TVI/CVI/CVBS Output
Fixed Bullet Camera , **Built in Mic**
2pcs Warmlight,
IR range up to 30M
2.8mm Lens, F1.6
Weather Resistance : IP67

Metal+Plastic Housing
Size: ϕ66X175.3mm

Gross Weight: 280g



19,000,000 IR



31. UVC532B59R-MC

(3.6mm)

PRO+



1/ 2.7" CMOS Sensor
5MP@20fps(16:9 video output)
2DDNR, UTC,DWDR ,**Fullcolor**
AHD/TVI/CVI/CVBS Output
Fixed Bullet Camera , **Built in Mic**
2pcs Warmlight,
IR range up to 50M
3.6mm Lens,F1.6
Weather Resistance : IP67

Metal+Plastic Housing
Size: Φ 83.1x73.1x227.6 mm
Gross Weight: 3200g



19,000,000 IR

32. UVC522B59M

(2.8mm)

PRO



1/ 2.7" CMOS Sensor
5MP@20fps(16:9 video output)
IR Cut, 2DDNR, UTC,DWDR
AHD/TVI/CVI/CVBS Output
Fixed Bullet Camera
3pcs SMD LED
IR range up to 50M
2.8mm
Weather Resistance : IP66

Metal Housing
Size: 235x83x72.7mm
Gross Weight: 700g



21,590,000 IR

33. UVC60B29

(2.8mm)

PRO



1/ 2.5" CMOS Sensor
5MP@20fps
IR Cut, 2DDNR, UTC,DWDR
AHD/TVI/CVI/CVBS Output
Fixed Bullet Camera
4pcs SMD LED
IR range up to 50M
2.8mm
Weather Resistance : IP66

Metal Housing
Size: 235x83x72.7mm
Gross Weight: 750g




21,590,000 IR

34. UVC522B59M-M

(2.8mm)

PRO



1/ 2.7" CMOS Sensor
5MP@20fps
IR Cut, 2DDNR, UTC,DWDR
AHD/TVI/CVI/CVBS Output
Fixed Bullet Camera , **Built in Mic**
3pcs SMD LED
IR range up to 50M
2.8mm , F 1.6
Weather Resistance : IP67

Metal Housing
Size: Φ 83.1x73.1x235.7 mm
Gross Weight: 700g



22,000,000 IR



35. UVC532T43P-M (2.8mm)



1/ 2.7" CMOS Sensor
5MP@20fps
IR Cut, 2D/3D DNR, UTC,DWDR
AHD/TVI/CVI/CVBS Output
Fixed Dome Camera , **Built in Mic**
1pcs SMD LED
IR range up to 25M
2.8mm Lens
Weather Resistance : IP65

Plastic Housing
Size: c96.8X85.5mm

Gross Weight: 120g



12,320,000 IR

36. UVC522T43P-MC (2.8mm)



1/ 2.7" CMOS Sensor
5MP@20fps(16:9 video output)
2DDNR, UTC,DWDR , **Fullcolor**
AHD/TVI/CVI/CVBS Output
Fixed Dome Camera , **Built in Mic**
2pcs Warmlight,
IR range up to 25M
2.8mm Lens,F1.6
Weather Resistance : IP65

Plastic Housing
Size: c96.8X85.5mm

Gross Weight: 120g



13,470,000 IR

37. UVC522T45P-MC (2.8mm)



1/ 2.7" CMOS Sensor
5MP@20fps(16:9 video output)
2DDNR, UTC,DWDR , **Fullcolor**
AHD/TVI/CVI/CVBS Output
Fixed Dome Camera , **Built in Mic**
2pcs Warmlight,
IR range up to 25M
2.8mm Lens,F1.6
Weather Resistance : IP65

Plastic Housing
Size: c96.8X85.5mm

Gross Weight: 120g



14,170,000 IR

38. UVC522T9AR (2.8mm)



1/ 2.7" CMOS Sensor
5MP@20fps(16:9 video output)
IR CUT, 2DDNR, UTC,DWDR
AHD/TVI/CVI/CVBS Output
Fixed Dome Camera
2pcs SMD LED
IR range up to 30M
2.8mm Lens
Weather Resistance : IP67

Metal+Plastic Housing
Size: c102X82.4mm

Gross Weight: 205g



15,050,000 IR

39. UVC522T9AR-M (2.8mm)



1/ 2.7" CMOS Sensor
5MP@20fps(16:9 video output)
IR Cut, 2DDNR, UTC,DWDR
AHD/TVI/CVI/CVBS Output
Fixed Dome Camera , **Built in Mic**
2pcs SMD LED
IR range up to 30M
2.8mm Lens
Weather Resistance : IP67

Metal+Plastic Housing
Size: 102×82.4×72.7mm

Gross Weight: 205g



16,900,000 IR



40. UVC532T9AR-MC (2.8mm)



1/ 2.7" CMOS Sensor
5MP@20fps(16:9 video output)
2DDNR, UTC,DWDR ,Fullcolor
AHD/TVI/CVI/CVBS Output
Fixed Dome Camera ,Built in Mic
2pcs Warmlight,
IR range up to 30M
2.8mm Lens,F1.6
Weather Resistance : IP67

Metal + Plastic Housing
Size: C102X82.4mm

Gross Weight: 205g



19,000,000 IR

41. UVC83C29



1/ 2.5" CMOS Sensor
5MP@20fps
IR Cut, 2D/3D DNR, UTC,DWDR
AHD/TVI/CVI/CVBS Output
Varifocal Bullet Camera
30pcs SMD LED
IR range up to 50M
3.3-12mm Varifocal Lens
Weather Resistance : IP66

Metal Housing
Size: c 67 x 211 mm

Gross Weight: 720g



21,040,000 IR

42. UVC532C59M



1/ 2.7" CMOS Sensor
5MP@20fps(16:9 video output)
2DDNR, UTC,DWDR
AHD/TVI/CVI/CVBS Output
Varifocal Bullet Camera
3pcs SMD LED,
IR range up to 50M
3.3-12mm Varifocal Lens
Weather Resistance : IP67

Metal Housing
Size: C235X83X72.7mm

Gross Weight: 700g



26,160,000 IR

43. UVC83E97



1/ 2.5" CMOS Sensor
5MP@20fps
IRCUT, 2DDNR, UTC,DWDR
AHD/TVI/CVI/CVBS Output
Varifocal Dome Camera
24pcs SMD LED
IR range up to 40M
3.3-12mm Varifocal Lens
Weather Resistance : IP66

Metal Housing
Size: C120X108mm

Gross Weight: 650g



21,040,000 IR

