















ردیف	مدل	قیمت	تصویر کالا	مشخصات فنی
1	<b>TC-C32XN</b> 2MP Fixed Turret Camera Spec: I3/E/Y/2.8mm/V5	18,300,000		Metal+Plastic Housing Up to 1920x1080@30fps S+265/H.265/H.264 Min. Illumination Color: 0.02Lux@F2.0 Smart IR, IR Range: 30m Built-in Mic Operating Conditions -30°~60°, 0~95% RH POE, IP67
2	<b>TC-C32QN</b> 2MP Fixed Bullet Camera Spec: I3/E/Y/2.8mm/V5	18,300,000		Metal+Plastic Housing Up to 1920x1080@25fps S+265/H.265/H.264 Min. Illumination Color: 0.02Lux@F2.0 Smart IR, IR Range: 30m Built-in Mic Operating Conditions -30°~60°, 0~95% RH POE, IP67
3	<b>TC-C32GN</b> 2MP Fixed Bullet Camera Spec: I5/E/Y/C/4mm/V4.1	26,000,000		Metal+Plastic Housing Up to 1920x1080@30fps S+265/H.265/H.264 Min. Illumination Color: 0.02Lux@F2.0 Smart IR, IR Range: 50m Built-In Mic Support tripwire and perimeter Operating Conditions -30 ~60 , 0~95% RH POE, DC12V °C °C IP67
4	<b>TC-C32HN</b> 2MP H.265 IR Turret Camera Spec: I3/E/Y/C/2.8mm/V4.2	26,000,000		Metal+Plastic Housing Up to 1920x1080@30fps S+265/H.265/H.264 Min. Illumination Color: 0.02Lux@F2.0 Smart IR, IR Range: 30m Built-In Mic Support tripwire and perimeter Operating Conditions -30 ~60 , 0~95% RH POE, IP66 °C °C
5	<b>TC-C32WP</b>  2MP Fixed color Maker Bullet Camera Spec: W/E/Y/4 & 2.8 mm/V4.1	44,000,000		*Up to 1920x1080@25fps *2MP Fixed Color Maker Bullet Camera *Case:Plastic / Bracket: Metal *Lens 4mm / Sensor size 1/2.8" CMOS *S+265/H.265/H.264-JPEG Codec *Min Illumination Color: 0.0008Lux@ (F1.6, AGC ON), 0Lux with LED on *Built in Mic:Yes * Built-in MicroSD card slot, up to 512 GB *2 Warm lights, 15~20m *support PoE 8w *IP67 *Dynamic Range : WDR120dB
6	<b>TC-C32WP</b>  2MP Fixed Super Starlight Bullet Camera I5/E/Y/2.8mm/V4.0	41,000,000		*Up to 1920x1080@25fps *2MP Fixed Super Starlight IR Bullet Camera *Case: Metal+Plastic *Lens 4mm / Sensor size 1/2.8" CMOS *S+265/H.265/H.264-JPEG Codec *Min Illumination Color: 0.0008Lux@ (F1.6, AGC ON), B/W: 0Lux with IR *Built in Mic:Yes *Built-in MicroSD card slot, up to 512 GB *Smart IR, IR Range: 50m *support PoE 6w *IP67 *Dynamic Range : WDR120dB
7	<b>TC-C32WN</b>  2MP Fixed IR Wi-Fi Bullet Camera Spec: I5/Y/WIFI/4mm/V4.0	43,900,000		Metal+Plastic Housing Up to 1920x1080@30fps S+265/H.265/H.264 Min. Illumination Color: 0.02Lux@F2.0 Smart IR, IR Range: 50m Operating Conditions -35 ~65°C, 0~95% RH Built-in Mic, SD Card Slot, Reset Button Support Wi-Fi °C IP67
8	<b>TC-C32XP</b>  2MP Fixed Color Maker Turret Camera Spec: W/E/Y/2.8mm/V4.0	36,000,000		*Up to 1920x1080@25fps *2MP Fixed Color Maker Turret Camera *Default: Metal+Plastic *Lens 2.8mm / Sensor size 1/2.8" CMOS *S+265/H.265/H.264-JPEG Codec *Min Illumination Color: 0.0008Lux@ (F1.6, AGC ON), 0Lux with LED on *Built in Mic:Yes *Built-in MicroSD card slot, up to 512 GB *2 Warm lights, 15~20m *support PoE 8w *IP66 *Dynamic Range : WDR120dB

ردیف	مدل	قیمت	تصویر کالا	مشخصات فنی
9	<b>TC-C34XN</b> 4MP Fixed Turret Camera Spec: I3/E/Y/2.8mm/V5	26,000,000		*Metal+Plastic Housing *Up to 2560x1440@20fps *S+265/H.265/H.264 *Min. illumination Color: 0.02Lux@F1.6 *Smart IR, IR Range: 30m *Built-in Mic *Operating Conditions -30°~60°, 0~95% RH *POE
10	<b>TC-C34QN</b> 4MP Fixed Bullet Camera Spec: I3/E/Y/2.8mm/V5	26,000,000		*Metal+Plastic Housing *Up to 2560x1440@20fps *S+265/H.265/H.264 *Min. illumination Color: 0.02Lux@F1.6 *Smart IR, IR Range: 30m *Built-in Mic *Operating Conditions -30°~60°, 0~95% RH *POE, IP67
11	<b>TC-C34GN</b> 4MP Fixed IR Bullet Camera I5/E/Y/C/2.8 mm/V4.2	32,000,000		*Up to 2560x1440@25fps *Metal+Plastic Housing *Lens 2.8mm / Sensor size 1/2.7" CMOS *S+265/H.265/H.264 *Min. illumination :0.02Lux@(F1.6,AGC ON),B/W:0Lux with IR *Built in Mic : Yes *Smart IR, IR Range: 50m *support PoE 7W *IP67 DWDR
12	<b>TC-C34GS</b> 4MP Fixed Starlight IR Bullet Camera Spec: :I5/E/Y/C/4 & 2.8 mm/V4.0	37,900,000		*Up to 2560x1440@25fps *4MP Starlight IR Bullet Camera *Case: Metal+Plastic Housing *Lens 2.8mm, 4mm / Sensor size 1/2.7" CMOS *S+265/H.265/H.264 *Color:0.002Lux@(F1.6,AGC ON),B/W:0Lux with IR *Built in Mic : Yes *Smart IR, IR Range: 50m *support PoE 7w *IP67 , FOV:103.4° *Dynamic Range : DWDR *No Power Cable, No Reset
13	<b>TC-C34HS</b> 4MP Starlight IR Turret Camera Spec: I3/E/Y/C/2.8mm/V4.0	37,900,000		*Up to 2560x1440@25fps *4MP Starlight IR Turret Camera *Case: Metal+Plastic Housing *Lens 2.8mm / Sensor size 1/2.7" CMOS *S+265/H.265/H.264 *Color:0.002Lux@(F1.6,AGC ON),B/W:0Lux with IR *Built in Mic : Yes *Smart IR, IR Range: 30m *support PoE 6w *IP66 No Reset Button, No SD-Card DWDR
14	<b>TC-C34WS</b>  4MP Fixed Color Maker IR Bullet Camera Spec:I5W/E/Y/M/2.8mm/V4.2	53,900,000		*Metal Housing *Up to 2592x1520@25fps *S+265/H.265/H.264 *Min. illumination Color: 0.002Lux@F1.6 *120dB WDR -IP67 *2 Warm lights, 15m *Smart IR, IR Range: 50m *Support tripwire and perimeter *Built-in Mic, support max 512G Micro SD Card *Operating Conditions -40 ~65 , 0~95% RH *POE, DC12V
	Spec:I5W/E/Y/2.8mm/V4.2	49,000,000		Plastik
15	<b>TC-C34WP</b>  4MP Fixed Color Maker IR Bullet Camera Spec:W/E/Y/M/4MM/V4.0	51,140,000		Default: Metal Housing *Up to 2592x1520@25fps *S+265/H.265/H.264 *Min. illumination Color: 0.0008Lux@F1.0 *120dB WDR *2 Warm lights, 15~20m *Support tripwire and perimeter *Built-in Mic, SD Card Slot, Reset Button *Operating Conditions -40 ~60 , 0~95% RH *POE, IP67
16	<b>TC-C34LP</b>  4MP Super Starlight Motorized IR Bullet Camera Spec: I5/A/E/M/H/2.7-13.5mm	142,000,000		Full Metal Housing Motorized Lens 2.7-13.5mm Up to 2560x1440@30fps, 1920x1080@60fps S+265/H.265/H.264/M-JPEG Min. illumination Color: 0.0004Lux@F1.2 Smart IR, IR Range:50m Support Human/Vehicle Classification Support Face Capture Mode Support Early Warning audio I/O 1/1, alarm I/O 2/1 POE, IP67, IK10 Built-in Micro SD card slot, up to 512 GB
17	<b>TC-C35MS</b>  5MP Motorized Starlight IR Dome Camera Spec: I3/A/E/Y/M/H/2.8-12mm	98,000,000		Full Metal Housing *Motorized Lens 2.8-12mm *Up to 2592x1944@20fps *S+265/H.265/H.264 *Min. illumination Color: 0.002Lux@F1.6 *120dB WDR -POE, IP67, IK10 *Smart IR, IR Range: 30m *Support tripwire and perimeter *Built-in Mic, SD Card Slot, Reset Button *Operating Conditions -40 ~60 , 0~95% RH

ردیف	مدل	قیمت	تصویر کالا	مشخصات فنی
18	<p><b>TC-C35JS</b></p> <p>5MP Starlight IR Bullet Camera</p> <p>Spec: I5/E/M/N/4mm/V4.0</p> 	55,000,000		<ul style="list-style-type: none"> <li>*Up to 2592x1944@30fps, 1920x1080@60fps</li> <li>*5MP Starlight IR Bullet Camera</li> <li>*Full Metal Housing</li> <li>*Lens 4mm / Sensor size 1/2.8" CMOS</li> <li>*S+265/H.265/H.264/M-JPEG</li> <li>*Min. illumination Color: 0.002Lux@ (F1.6, AGC ON), B/W: 0Lux with IR</li> <li>*Built in Mic : No</li> <li>*Built-in MicroSD card slot, up to 512 GB</li> <li>*Smart IR, IR Range: 50m</li> <li>*support PoE 6W</li> <li>*IP67 *Dynamic Range : 120dB WDR</li> </ul>
19	<p><b>TC-C35US</b></p> <p>5MP Motorized Starlight IR Bullet Camera</p> <p>Spec: I8/A/E/Y/M/C/H/2.7-13.5mm</p> 	98,000,000		<ul style="list-style-type: none"> <li>*Full Metal Housing</li> <li>*Motorized Lens 2.7-13.5mm</li> <li>*Up to 2592x1944@20fps</li> <li>*S+265/H.265/H.264</li> <li>*Min. illumination Color: 0.002Lux@F1.6</li> <li>*Smart IR, IR Range: 80m</li> <li>*Support tripwire and perimeter</li> <li>*Built-in Mic, SD Card Slot up to 512 GB, Reset Button</li> <li>*Audio I/O 1/1, Alarm I/O 1/1</li> <li>*Operating Conditions -35 ~ -60 , 0~95% RH</li> <li>*POE, IP67</li> <li>°C °C</li> </ul>
20	<p><b>TC-C35TS</b></p> <p>5MP Starlight Motorized IR Bullet Camera</p> <p>spec: I8/A/E/Y/M/H/2.7-13.5mm/V4.0</p> 	142,000,000		<ul style="list-style-type: none"> <li>*Up to 2592x1944@30fps, 1920x1080@60fps</li> <li>*5MP Starlight Motorized IR Bullet Camera</li> <li>* Full Metal Housing</li> <li>*Motorized Lens 2.7-13.5mm</li> <li>*Sensor size 1/2.8" CMOS</li> <li>*S+265/H.265/H.264/M-JPEG</li> <li>*Min illumination Color: 0.001Lux@ (F1.6, AGC ON), B/W: 0Lux with IR</li> <li>*Built in Mic :Yes 1/1</li> <li>*Alarm 2/1</li> <li>*Built-in Micro SD card slot, up to 512 GB</li> <li>*Smart IR, IR Range: 80m</li> <li>*support PoE 10W *IP67</li> <li>*Dynamic Range : 120dB WDR</li> </ul>
21	<p><b>TC-C38KS</b></p> <p>8MP Fixed Starlight IR Dome Camera</p> <p>Spec: I3/E/Y/2.8mm/V4.0</p> 	95,500,000		<ul style="list-style-type: none"> <li>*Up to 3840x2160@20fps</li> <li>*8MP Fixed Starlight IR Dome Camera</li> <li>*Case: Bracket/Metal / Body: Plastic</li> <li>*Lens 2.8mm / Sensor size 1/2.8" CMOS</li> <li>*S+265/H.265/H.264/M-JPEG</li> <li>*Min. illumination Color: 0.003Lux@ (F1.6, AGC ON), B/W: 0Lux with IR</li> <li>*Built in Mic :Yes</li> <li>*Built-in MicroSD card slot, up to 512 GB</li> <li>*Smart IR, IR Range: 30m</li> <li>*support PoE 7W/IP67</li> <li>WDR Range : 120dB WDR *(CABLE FREE)</li> </ul>
22	<p><b>TC-C38WS</b></p> <p>8MP Fixed Starlight IR Bullet Camera</p> <p>Spec:I5/E/Y/M//4mm/V4.0</p> 	108,000,000		<ul style="list-style-type: none"> <li>*Up to 3840x2160@20fps</li> <li>*8MP Fixed Starlight IR Bullet Camera</li> <li>*Full Metal Housing</li> <li>*Lens 4mm / Sensor size 1/2.8" CMOS</li> <li>*S+265/H.265/H.264/M-JPEG</li> <li>*Min. illumination Color: 0.003Lux@ (F1.6, AGC ON), B/W: 0Lux with IR</li> <li>*Built in Mic :Yes</li> <li>*Built-in MicroSD card slot, up to 512 GB</li> <li>*Smart IR, IR Range: 50m</li> <li>*support PoE 8W</li> <li>*IP67 *Dynamic Range : 120dB WDR</li> </ul>
23	<p><b>TC-C38TS</b></p> <p>8MP Starlight Motorized IR Bullet Camera</p> <p>Spec: I8/A/E/Y/M/H/2.7-13.5mm</p> 	135,000,000		<ul style="list-style-type: none"> <li>*Up to 3840x2160@20fps</li> <li>*8MP Fixed Starlight IR Bullet Camera</li> <li>*Full Metal Housing</li> <li>*Lens 2.7-13.5 mm / Sensor size 1/2.8" CMOS</li> <li>*S+265/H.265/H.264/M-JPEG</li> <li>*Min. illumination Color: 0.003Lux@ (F1.6, AGC ON), B/W: 0Lux with IR</li> <li>*Built in Mic :Yes</li> <li>*Built-in MicroSD card slot, up to 512 GB</li> <li>*Smart IR, IR Range: 80m</li> <li>*support PoE 8W</li> <li>*IP67 *Dynamic Range : 120dB WDR</li> </ul>

ردیف	مدل	قیمت	تصویر کالا	مشخصات فنی
24	<b>TC-R3105</b> <b>H.265 5CH 1HDD NVR</b> Spec: I/B/L/S/EU	29,800,000		5-ch, 50Mbps/40Mbps, recording resolution up to 6MP decoding ability 1*6MP, 3*1080p, 4*720p, video output:1 HDMI & 1VGA simultaneous output, USB interface: 2xUSB 2.0
25	<b>TC-R3105</b> <b>H.265 5CH 1HDD NVR</b> Spec: I/B/L/EU	33,000,000		HD Input • S+265/H.265/H.264 video formats • Support live view, storage, and playback of the connected camera at up to 6MP resolution • HDMI and VGA simultaneous output • HDMI Video output at up to 4K (3840x2160) resolution - Income 50Mbps; Outgoing 40Mbps • 1 SATA interface, up to 8TB for 1 HDD • S+265 compression effectively reduces the storage space and costs by up to 75% • 1xRJ45 self-adaptive 10/100 Mbps network interface
26	<b>TC-R3105</b> <b>H.265 5CH 1HDD NVR</b> Spec:I/B/P/L/S	48,100,000		5CH 1HDD 1U NVR, 5 IP camera input + 2 CH expansion = 7CH S+265/H.265/H.264 video formats Max 50/40 Mbps incoming/Outgoing bandwidth, Up to 6M Resolu- tion Recording Synchronous Decode: 1x6MP, 3x1080P, VCA detection alarm is supported HDMI and VGA, simultaneous output, HDMI Video output at up to 1080P (1920 x 1080) 1 SATA interface, up to 10TB for 1 HDD 1CH Audio output, 2 USB Ports 1*10/100 Mbps Network Card, P2P support
27	<b>TC-R3110</b> <b>H.265 10CH 1HDD NVR</b> Spec: I/B/L/S/EU	34,000,000		HD Input , S+265/H.265/H.264 video formats Connectable to the third-party network cameras • Support live view, storage, and playback of the connected camera at up to 6MP resolution HD Output .1xHDMI and 1xVGA simultaneous outputs , HDMI Video output at up to 4K resolution HD Storage :1 SATA Interface, up to 8TB for 1 HDD S+265 compression effectively reduces the storage space and costs by up to 75% HD Transmission • 1xRJ45 self-adaptive 10/100 Mbps network interface Various Applications
28	<b>TC-R3110</b> <b>H.265 10CH 1HDD NVR</b> Spec:I/B/L/Eu	37,000,000		10-ch, 50Mbps/40Mbps, recording resolution up to 6MP, decoding ability 1*6MP, 3*1080p, 4*720p, video output: 1 HDMI & 1VGA si- multaneous output, USB interface: 2xUSB 2.0 LITE SERIES
29	<b>TC-R3110</b> <b>H.265 10CH 1HDD NVR</b> Spec: I/B/P8/L/S	57,950,000		Plug and play • S+265/H.265/H.264 video formats • Connectable to the third-party network cameras • Up to 10-channel input • 8 POE ports • Supports live view, storage, and playback of the connected camera at up to 6MP resolution HD Output • 1xHDMI output • HDMI Video output at up to 4K resolution • 1 SATA interfaces, up to 10TB for each HDD • 250m long-distance transmission Support
30	<b>TC-R3110</b> <b>H.265 10CH 1HDD NVR</b> Spec: I/B/V3.0	43,500,000		HD Input • S+265/H.265/H.264 video formats • Connectable to the third-party network cameras • Up to 10-channel input • Supports live view, storage, and playback of the connected camera at up to 6MP resolution HD Output • HDMI and VGA simultaneous output • HDMI Video output at up to 4K (3840 x 2160) resolution HD Storage (Bandwidth Income 50Mbps) • 1 SATA interface, up to 10TB for 1 HDD • S+265 compression effectively reduces the storage space and costs by up to 75% Max Resolution 6MP
31	<b>TC-R3120</b> <b>H.265 20CH 1HDD NVR</b> Spec: I/B/V3.0	72,550,000		• S+265/H.265/H.264 video formats • Connectable to the third-party network cameras • Up to 20-channel input • Supports live view, storage, and playback of the connected camera at up to 6MP resolution • HDMI and VGA simultaneous output • HDMI Video output at up to 4K (3840x2160) resolution • 1 SATA interface, up to 10TB for 1 HDD • S+265 compression effectively reduces the storage space and costs by up to 75% • 1xRJ45 self-adaptive 10/100 Mbps network interface

ردیف	مدل	قیمت	تصویر کالا	مشخصات فنی
32	<p><b>TC-R3220</b></p> <p><b>H.265 2HDD 20ch NVR</b></p> <p>Spec: I/B/K/V3.0</p>	119,000,000		<ul style="list-style-type: none"> <li>S+265/H.265/H.264 video formats</li> <li>Connectable to the third-party network cameras</li> <li>Up to 20-channel input</li> <li>Supports live view, storage, and playback of the connected camera at up to 8MP resolution</li> <li>HDMI Video output at up to 4K resolution</li> <li>2 SATA interfaces, up to 10TB for each HDD</li> <li>Bandwidth Income: 120Mbps; Outgoing 100Mbps</li> <li>Alarm In/Out 4/1</li> <li>Network Interface: 1xRJ45 self-adaptive 10/100/1000 Mbps network interface</li> </ul>
33	<p><b>TC-R3232</b></p> <p><b>H.265 2HDD 32ch NVR</b></p> <p>Spec:I/B/K/V3.1</p>	139,000,000		<ul style="list-style-type: none"> <li>S+265/H.265/S+264/H.264 video formats</li> <li>Connectable to the third-party network cameras</li> <li>Support live view, storage, and playback of the connected camera at up to 8MP resolution</li> <li>1xHDMI and 1xVGA simultaneous outputs</li> <li>HDMI Video output at up to 4K resolution</li> <li>2 SATA interface, up to 10TB for 1 HDD</li> <li>S+265 compression effectively reduces the storage space and costs by up to 75%</li> <li>1xRJ45 self-adaptive 10/100/1000 Mbps network interface</li> <li>Incoming Bandwidth 160Mbps</li> </ul>
34	<p><b>TC-R3440</b></p> <p><b>H.265 4HDD 40ch NVR</b></p> <p>Spec: I/B/N/H/C</p>	245,000,000		<ul style="list-style-type: none"> <li>S+265/H.265/H.264 video formats</li> <li>Connectable to the third-party network cameras</li> <li>Up to 40-channel input</li> <li>Supports live view, storage, and playback of the connected camera at up to 12MP resolution</li> <li>HD Output</li> <li>HDMI Video output at up to 4K (3840x2160) resolution</li> <li>HD Storage</li> <li>4 SATA interfaces, up to 10TB for each HDD</li> <li>S+265 compression effectively reduces the storage space and costs by up to 75%</li> </ul>
35	<p><b>TC-H334S</b></p> <p><b>3MP Dual Light EW PT Camera</b></p> <p>Spec: I5W/C/WIFI/4mm/V4.1</p>	57,000,000		<ul style="list-style-type: none"> <li>Metal+Plastic Housing</li> <li>Up to 2304x1296@25fps</li> <li>S+265/H.265/H.264</li> <li>Min. illumination Color: 0.02Lux@F1.6</li> <li>Smart IR, IR Range: 50m</li> <li>White Light : 20-30m</li> <li>Operating Conditions -30 ~60°C, 0-95% RH</li> <li>Built-in Mic, SD Card Slot, Reset Button</li> <li>Support Wi-Fi</li> <li>IP67</li> </ul>
36	<p><b>TC-H324S</b></p> <p><b>2MP 23x Starlight IR PTZ Camera</b></p> <p>Spec:23X/I/E/V3.0</p>	174,000,000		<ul style="list-style-type: none"> <li>Up to 1920X1080@30fps</li> <li>Optical zoom: 23x</li> <li>Smart IR, IR Range: 150m</li> <li>S+265/H.265/H.264/M-JPEG</li> <li>Intelligent monitoring</li> <li>Support Human/Vehicle Classification</li> <li>Plugin Free</li> <li>IP66</li> </ul>
37	<p><b>TC-H324S</b></p> <p><b>2MP 25x Starlight IR PTZ Camera</b></p> <p>Spec: 25X/I/E</p>	279,300,000		<ul style="list-style-type: none"> <li>2MP 25x Starlight IR PTZ Camera</li> <li>Up to 1920X1080@30fps</li> <li>Focal Length 4.8mm-120mm</li> <li>Image Sensor 1/2.8" CMOS</li> <li>Optical zoom: 25x / digital zoom 16x</li> <li>Minimum Illumination:</li> <li>Color: 0.001lux@ (F1.5, AGC ON)</li> <li>BW: 0lux with IR</li> <li>S+265/H.265/H.264/M-JPEG</li> <li>Smart IR, IR Range: 150m</li> <li>Wide Dynamic Range 140dB</li> <li>IP66</li> <li>Support Human/Vehicle Classification</li> <li>Built-in Heater</li> </ul>